
CLAYMONT FARM WESTMORELAND COUNTY

Owner: Mary F. Aylor

570 Claymont Road, Colonial Beach, VA 22443

Claymont Farm, owned by Mary F. Aylor, is located along Claymont Road and Cottage Farm Road in Westmoreland County. The fields being requested for application are identified by FSA Tract # and Field# as well as Westmoreland County TM identification. These are agricultural (crop/grass) sites.

Location Map Claymont (77 01.678W 3810.590N)



The site FSA Map identifies three tracts.

Tract 1796 includes one field, Field 6 (TM 9 Parcel 24B) which has a net application acreage of 39.3 acres.



Tract 1730 includes 6 fields (TM 9 Parcel 93)

Westmoreland County, Virginia Carol Gawen, Commissioner

e-mail Carol Gawen

Net Field Application Acreages are:

Field 1 - 7.5 Acres

Field 2 - 2.4 Acres

Field 3 - 6.0 Acres

Field 4 – 9.1 Acres

Field 5 – 8.8 Acres

Field 6 – 8.9 Acres

Tract 1731includes two fields (TM 9 Parcels 91 & 92)

Westmoreland County, Virginia Carol Gawen, Commissioner 9-mail Carol Gawen


Property Identification Card



Westmoreland County, Virginia

Carol Gawen, Commissioner

Property Identification Card




Net Field Application Acreages are:


Field 1 - 14.7 Ac.

Field 4 – 12.0 Ac.

The Tax map showing all parcels is provided.



The FSA Map showing all fields is provided.



The fields are identified on topographic and soil maps. Predominant soils by field are:

T 1796 Field 6 – Map Unit Symbol is 7B. Map unit name is Kempsville Loam, 2 – 6% slopes.

T 1730 Field 1 – Map Unit Symbol is 23B. Map unit name is Turbeville Loam, 2-6% slopes. T 1730 Field 2 - Map Unit Symbol is 7B. Map unit name is Kempsville Loam, 2-6% slopes.

T 1730 Field 3 - Map Unit Symbol is 7B. Map unit name is Kempsville Loam, 2 – 6% slopes.

T 1730 Field 4 – Map Unit Symbol is 17E. Map unit name is Rumford soils, 15 to 50% slopes.

T 1730 Field 5 - Map Unit Symbol is 23B. Map unit name is Turbeville Loam, 2 - 6% slopes.

T 1730 Field 6 - Map Unit Symbol is 7B. Map unit name is Kempsville Loam, 2 - 6% slopes.

T 1731 Field 1 - Map Unit Symbols are 23A & 23B. Map unit name is Turbeville Loam, 0-2% (A) and 2-6% slopes (B).

T 1731 Field 4 - Map Unit Symbol is 23B. Map unit name is Turbeville Loam, 2 - 6% slopes.

USDA Soil descriptions of these major soil units are provided. Data from USDA NRCS Web Soil Survey.

7B—Kempsville loam, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: 41hy Elevation: 100 to 400 feet

Mean annual precipitation: 32 to 48 inches Mean annual air temperature: 47 to 69 degrees F

Frost-free period: 192 to 233 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Kempsville and similar soils: 70 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kempsville

Setting

Landform: Marine terraces

Landform position (three-dimensional): Tread

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine deposits

Typical profile

H1 - 0 to 8 inches: loam H2 - 8 to 32 inches: loam

H3 - 32 to 64 inches: sandy loam

Properties and qualities

Slope: 2 to 6 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: Moderate (about 8.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: B

23A—Turbeville loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 41hp Elevation: 200 to 900 feet

Mean annual precipitation: 32 to 48 inches Mean annual air temperature: 47 to 69 degrees F

Frost-free period: 192 to 233 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Turbeville and similar soils: 85 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Turbeville

Setting

Landform: Terraces

Landform position (three-dimensional): Tread

Down-slope shape: Convex Across-slope shape: Convex Parent material: Alluvium

Typical profile

H1 - 0 to 14 inches: loam
H2 - 14 to 40 inches: clay loam
H3 - 40 to 70 inches: clay loam
Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: High (about 9.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Custom Soil Resource Report

17

Land capability classification (nonirrigated): 1

Hydrologic Soil Group: B

23B—Turbeville loam, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: 41hq Elevation: 200 to 900 feet

Mean annual precipitation: 32 to 48 inches Mean annual air temperature: 47 to 69 degrees F

Frost-free period: 192 to 233 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Turbeville and similar soils: 85 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Turbeville

Setting

Landform: Terraces

Landform position (three-dimensional): Tread

Down-slope shape: Convex Across-slope shape: Convex Parent material: Alluvium

Typical profile

H1 - 0 to 14 inches: loam
H2 - 14 to 40 inches: clay loam
H3 - 40 to 70 inches: clay loam
Properties and qualities

Slope: 2 to 6 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.57 to 1.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: High (about 9.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: B

Custom Soil Resource Report 18

17E—Rumford soils, 15 to 50 percent slopes

Map Unit Setting

National map unit symbol: 41h8

Elevation: 50 to 450 feet

Mean annual precipitation: 32 to 48 inches Mean annual air temperature: 47 to 69 degrees F

Frost-free period: 192 to 233 days

Farmland classification: Not prime farmland

Map Unit Composition

Rumford and similar soils: 75 percent

Minor components: 5 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Custom Soil Resource Report

14

Description of Rumford

Setting

Landform: Marine terraces

Landform position (three-dimensional): Tread

Down-slope shape: Convex Across-slope shape: Convex Parent material: Marine deposits

Typical profile

H1 - 0 to 8 inches: fine sandy loam H2 - 8 to 31 inches: fine sandy loam H3 - 31 to 60 inches: fine sand

Properties and qualities Slope: 15 to 50 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None


Available water storage in profile: Low (about 5.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 7e


Hydrologic Soil Group: A

The sites are shown on a soil map from the USDA NRCS Web Soil Survey. The sites are shown on the USGS topographic map.



NOTES

- 1. Information shown is either County, SCS or U.S.G.S. Map/Photo enlarged to indicated scale.
- 2. Property Boundaries, where shown, are approximate. This plan does not represent a survey of the property.
- 2 —Bibb an Levy soils
- 7B —Kempsville loam, 2 to 6% slopes
- 17E —Rumford soils, 15 to 50% slopes
- **18D** —Rumford & Tetotum soils, 6 to 15% slopes
- 23A Turbeville loam, 0 to 2% slopes
- 23B Turbeville loam, 2 to 6% slopes
- 23C Turbeville loam, 6 to 10% slopes



LEGEND

LIMITS OF PROPOSED SLUDGE APPLICATION



RESTRICTED AREAS AND/OR VEGETATIVE BUFFER ZONES - Note, woodland areas not included in this evaluation

INDICATES DWELLING AND/OR COMMERCIAL ESTABLISHMENT WITH WELL, SEPTIC TANK & DRAINFIELD

SOILS MAP - SLUDGE APPLICATION SITES
PARCEL T-1796 - Field #6
CLAYMONT FARM
WESTMORELAND COUNTY, VIRGINIA
Prepared for CROPS, INC.
Date - December 15, 2009 - Fields to match FSA Designation

CULPEPER ENGINEERING, P.C.

3251 Germanna HWY, Locust Grove, VA 22508 Phone (540) 423-9706 FAX (540) 423-1534



1. Information shown is U.S.G.S. Quadrangle Map or Photo enlarged to indicated scale.

NOTES


2. Property Boundaries, where shown, are approximate. This plan does not represent a survey of the property.

WESTMORELAND COUNTY, VIRGINIA Prepared for CROPS, INC.

Date - December 15, 2009 - Fields to match FSA Designation

CULPEPER ENGINEERING, P.C.

3251 Germanna HWY, Locust Grove, VA 22508 Phone (540) 423-9706 FAX (540) 423-1534




NOTES

- 1. Information shown is either County, SCS or U.S.G.S. Map/Photo enlarged to indicated scale.
- Property Boundaries, where shown, are approximate. This plan does not represent a survey of the property.

Map Unit Legend

- —Bibb an Levy soils
- **7B** —Kempsville loam, 2 to 6% slopes
- 17E —Rumford soils, 15 to 50% slopes
- 18D Rumford & Tetotum soils, 6 to 15% slopes
- **23A** —Turbeville loam, 0 to 2% slopes
- 23B Turbeville loam, 2 to 6% slopes
- 23C Turbeville loam, 6 to 10% slopes



LEGEND

LIMITS OF PROPOSED SLUDGE APPLICATION

RESTRICTED AREAS AND/OR VEGETATIVE BUFFER ZONES - Note, woodland areas not included in this evaluation

INDICATES DWELLING AND/OR COMMERCIAL ESTABLISHMENT WITH WELL, SEPTIC TANK & DRAINFIELD

SOILS MAP-SLUDGE APPLICATION SITES PARCEL T-1730 - Fields 1, 2, 3, 4, 5 & 6 **CLAYMONT FARM** WESTMORELAND COUNTY, VIRGINIA Prepared for CROPS, INC. Date - December 15, 2009 - Fields to match FSA Designation

CULPEPER ENGINEERING, P.C. 3251 Germanna HWY, Locust Grove, VA 22508 Phone (540) 423-9706 FAX (540) 423-1534